

MGS - F



MGS - F FEATURES

ITEM	DESCRIPTION
1	With excellent stirring functionality, the compact shape of MGS-F takes less bench space and makes storage easier.
2	A wide range of speed from 15 to 1500rpm.
3	Automatic reverse rotation for excellent mixing.
4	Protection class (IP65).
5	PET top provides excellent chemical resistance.
6	Ultra silence and vibration-free.

TECHNICAL SPECIFICATION

ITEM	DESCRIPTION	CAPACITY
1	WORK PLATE DIMENSION	φ90mm
2	WORK PLATE MATERIAL	PET
3	MOTOR TYPE	Motorless
4	STIRRING POSITIONS	1
5	MAX. STIRRING QUANTITY [H ₂ O]	0.8 L
6	MAX. MAGNETIC BAR [LENGTH]	40 mm
7	SPEED RANGE	15-1500rpm
8	SPEED SETTING	button
9	PROTECTION CLASS	IP65
10	MOTOR OUTPUT POWER	3 W
11	POWER	5 W
12	VOLTAGE	100-120/200-240V,50/60Hz
13	DIMENSION [W×D×H]	175×120×15mm
14	WEIGHT	0.3 kg
15	PERMISSIBLE AMBIENT TEMPERATURE AND HUMIDITY	5-40°C, 80%RH

MGS - EcoR



MGS - EcoR FEATURES

ITEM	DESCRIPTION
1	MGS-EcoR is a magnetic stirrer customized for liquid mixing, suitable for chemical analysis, biology reagent mixing, regular laboratory experiments and liquid handling.
2	Maintenance free brushless DC motor.
3	Rare earth magnets give powerful stirring.
4	Stepless speed regulation 300-2000rpm.
5	Ultra silence and vibration-free design.
6	PET top provides excellent chemical resistance.
7	Shaft can be fitted with a PH sensor or sensors for other purposes.

TECHNICAL SPECIFICATION

ITEM	DESCRIPTION	CAPACITY
1	WORK PLATE DIMENSION	φ120mm
2	WORK PLATE MATERIAL	PET
3	MOTOR TYPE	Brushless DC motor
4	STIRRING POSITIONS	1
5	MAX. STIRRING QUANTITY [H ₂ O]	1.5 L
6	MAX. MAGNETIC BAR [LENGTH]	40 mm
7	SPEED RANGE	300-2000rpm
8	SPEED SETTING	scale
9	PROTECTION CLASS	IP21
10	MOTOR OUTPUT POWER	1.2 W
11	POWER	7.2 W
12	VOLTAGE	100-120/200-240V,50/60Hz
13	DIMENSION [W×D×H]	150×145×50mm
14	WEIGHT	0.3 kg
15	PERMISSIBLE AMBIENT TEMPERATURE AND HUMIDITY	5-40°C, 80%RH

All rights reserved by iSiNitzan. Reproduction and distribution of any part of this document is prohibited.

iSi-Nitzan GmbH

Via Cremignone 4C, Sorengo,
Switzerland, CH 6924

+(41) 765851837

info@isii-nitzan.swiss

www.isii-nitzan.swiss

More Information:



Version: J2024-1